



in which:

A is (C<sub>1</sub>-C<sub>4</sub>)-alkylene;

S1 is a free electron pair or (C<sub>1</sub>-C<sub>4</sub>)-alkyl;

S2 is (C<sub>1</sub>-C<sub>4</sub>)-alkyl or H;

where, if S1 and S2 are alkyl, a group -N<sup>+</sup>(S1S2)-X<sup>-</sup> results, wherein X<sup>-</sup> corresponds to a pharmacologically acceptable anion or trifluoroacetate;

B is a saturated or unsaturated five-, six- or seven-membered carbon ring which may be mono- or, independently of one another, polysubstituted by oxo, hydroxyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy and (C<sub>1</sub>-C<sub>4</sub>)-alkyl;

and

R1, R2, R3, R4 and R5

are, independently of one another, H, OH, F, Cl, Br, I, CN, NO<sub>2</sub>, amidino, -CO<sub>2</sub>R(11), -CONR(11)R(12), -SO<sub>r</sub>R(11), -SO<sub>s</sub>NR(11)-R(12), (C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy-(C<sub>1</sub>-C<sub>4</sub>)-alkyloxy, hydroxy-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>3</sub>-C<sub>7</sub>)-cycloalkoxy or phenyloxy,

where phenyl is unsubstituted or substituted by up to three substituents, which are independent of one another and are F, Cl, Br, or methoxy;

amino, (C<sub>1</sub>-C<sub>4</sub>)-alkylamino, di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino, amino-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkylamino-(C<sub>1</sub>-C<sub>4</sub>)-alkyl,

where some or all of the hydrogen atoms in the alkyl radicals may be substituted by fluorine;

R11 and R12

are, independently of one another, H or (C<sub>1</sub>-C<sub>4</sub>)-alkyl,

where some or all of the hydrogen atoms in the alkyl radicals may be substituted by fluorine;

r is 0, 1 or 2;

s is 1 or 2;

or

at least one of R1 and R2, R2 and R3, R3 and R4, and R4 and R5

together form one or more groups  $-O-(CH_2)_n-O-$ ;

n is 1 or 2;

and

the radical or radicals R1, R2, R3, R4 and R5 which do not form said group or groups  $-O-(CH_2)_n-O-$

is or are, independently of one another, H, OH, F, Cl, Br, I, CN, NO<sub>2</sub>, amidino,  $-CO_2R(11)$ ,  $-CONR(11)R(12)$ ,  $-SO_2R(11)$ ,  $-SO_2NR(11)-R(12)$ , (C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>3</sub>-C<sub>7</sub>)-cycloalkoxy, hydroxy-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, amino, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-amino, di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino, amino-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkylamino-(C<sub>1</sub>-C<sub>4</sub>)-alkyl,

where some or all of the hydrogen atoms in the alkyl radicals may be substituted by fluorine;

R11 and R12

are, independently of one another, H or (C<sub>1</sub>-C<sub>4</sub>)-alkyl,

where some or all of the hydrogen atoms in the alkyl radicals may be substituted by fluorine;

r is 0, 1 or 2;

s is 1 or 2;

except for benzyl(octahydro-4,7-methanoinden-5-yl)amine.

#### REMARKS

Claims 1-50 are pending in this application. Claims 7-34 and 38-50 are withdrawn from consideration. Claim 1 has been amended. The amendment is fully supported by the specification as filed and does not constitute new matter. By this amendment, Applicants have placed claims 1-6 and 35-37 in condition for allowance.

In the last Office Action, the Office rejected claim 1 under 35 U.S.C. § 112, second paragraph, as being indefinite. This claim has been amended to address the Office's rejection. The expression "derivative" has been replaced with "compound" to